

APRELION

Y. Double

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant	:	Henry Wu)	Group Art Unit 3611
Appl. No.	:	09/943,483)	I hereby certify that this correspondence and all marked attachments are being deposited with the United States Postal/Bervice as first-class
Filed	:	August 29, 2001)	mail in an envelope acoressed to: United States Patent and Trademark Office, P.O. Box 2327, Arlington, VA 22202, and
For	:	FOLDING CHAIR)	January of 2008 (Date
Examiner	:	Brian Green)	Michael H. Trenholm Reg. No. 37,743

RESPONSE TO RESTRICTION REQUIREMENT

United States Patent and Trademark Office P.O. Box 2327 Arlington, VA 22202 RECEWED

JAN 1 3 2003

Dear Sir:

HENRYWU.007A

GROUP 30.

In response to the Office Action mailed December 6, 2002, please amend the above captioned application as follows:

IN THE CLAIMS

Please cancel Claims 22-31 without prejudice.

REMARKS

In the Office Action, the Examiner imposed a restriction requirement on the above-captioned application under 35 U.S.C. §121 and requested the Applicant to elect the invention to be examined. Specifically, the Examiner identified the following species in the Application:

Species I

Figures 1-5, 10A, 10B

Species II

Figures 6-8B

Species III

Figure 9

The Applicant respectfully notes that Figures 6 and 7 illustrate both a sign displaying device concept (Species I, and claimed in Claims 15-21) and a horizontal brace having an opening dimensioned to receive a user's hand (Species II, and claimed in Claims 22-29). Furthermore, Figure 9, identified by the Examiner as Species III, illustrates an opening defined by the horizontal brace of species II. The opening 504 (Figure 9) is an aperture whereas the